CONTENTS

Rare earth alloying systematics: thallium alloys, a review 1
A. Saccone, S. Delfino and R. Ferro (Genova, Italy)

A three-dimensional structure–stability diagram for ternary equiatomic RTM intermetallic compounds. 25
E. Hovestreydt (Karlsruhe, F.R.G.)

Equilibres de phases dans le système binaire nickel–bismuth 31
P. Feschotte et J.-M. Rosset (Lausanne, Suisse)

Thermodynamics and kinetics of hydrogen absorption in the intermetallic compounds $Zr(Cr_{1-x}V_x)_2$ 39
A. Perevesenzew (Moscow, U.S.S.R.), E. Lanzel, O. J. Eder (Seibersdorf, Austria), E. Tuscher and P. Weinzierl (Wein, Austria)

Darstellung und Kristallstruktur des Natrium-Iridiumborids $NaIr_3B_4$ 49
R. Mirgel und W. Jung (Köln, B.R.D.)

Effects of pressure on the eutectic or eutectoid temperatures of the Cd–Pb, Cd–Sn, Pb–Sn and Cd–Pb–Sn systems 59
W. Zhou, M. Zhao (Changchun, China), Z. Shen, X. Yin and Y. Zhang (Beijing, China)

Thermal neutron irradiation experiments on ^{10}BP single-crystal wafers 71
Y. Kumashiro, K. Kudo, K. Matsumoto, Y. Okada and T. Koshiro (Ibaraki, Japan)

A Mössbauer spectroscopy study of $R_2Fe_{14}B_{1-x}C_x$. 77
P. Deppe, M. Rosenberg (Bochum, F.R.G.) and H. H. Stadelmaier (Raleigh, NC, U.S.A.)

Zur Polymorphie des In_2Se_3 83
H. D. Lutz, M. Fischer (Siegen, B.R.D.), H.-P. Baldus und R. Blachnik (Osnabrück, B.R.D.)

Fluorures complexes de cuivre(II)
VII: le système ternaire BaF_2–CuF_2–VF_3 93
M. Samouel, A. de Kozak (Paris, France), J. Renaudin et G. Ferey (Le Mans, France)

Theoretical and experimental doping of molecular materials: p and n doping of zinc phthalocyanine. 107
N. El-Khatib, B. Boudjema, G. Guillaud, M. Maitrot and H. Chermette (Villeurbanne, France)

Crystal structure and superstructure of $URh_{1.6}As_{1.9}$. 113
S. Zemni, J. Vicat, B. Lambert (Grenoble, France), R. Madar, P. Chaudouet and J. P. Senateur (Saint Martin d'Hères, France)

Characterization of surface layers in ion-nitrided titanium and titanium alloys 129
C. Badini, C. Gianoglio (Turin, Italy), T. Bacci (Florence, Italy) and B. Tesi (Trento, Italy)

Perturbed angular correlation study of local diffusion in highly concentrated Zr_2Ni hydrides and deuterides 143
A. Baudry, P. Boyer and A. Chikdene (Grenoble, France)

© Elsevier Sequoia/Printed in The Netherlands

Mass spectrometric investigations of $NiTe_2O_5$ and $Ni_2Te_3O_8$ at high temperatures 151
A. Lesar, A. Popovič and J. Marsel (Ljubljana, Yugoslavia)

Thermoelectric properties of boron phosphide 159
Y. Kumashiro, M. Hirabayashi, T. Koshiro and Y. Okada (Ibaraki, Japan)

The phase diagram of the U–Au system 167
A. Palenzona and S. Cirafici (Genova, Italy)

Structural and thermal investigations of tetrasulphate complexes of uranium(IV) and plutonium(IV) 173
K. D. Singh Mudher, K. Krishnan, D. M. Chackraburtty and N. C. Jayadevan (Bombay, India)

Spectrophotometric studies of californium(III) ions in selected lanthanide trihalide hosts 183
W. R. Wilmarth (Knoxville, TN, U.S.A.), J. P. Young, R. G. Haire and J. R. Peterson (Oak Ridge, TN, U.S.A.)

Complexes de l'uranium hexavalent dans les acides phosphoriques industriels 195
A. Elyahyaoui, S. Bouhlassa (Rabat, Maroc), M. Hussonnois, L. Brillard et R. Guillaumont (Orsay, France)

Evidence for an ordered Pd_7Gd phase in Pd–Gd alloys 207
Y. Sakamoto, K. Takao, M. Yoshida (Nagasaki, Japan) and T. B. Flanagan (Burlington, VT, U.S.A.)

Etude thermodynamique et structurale de système Ce–C–O en présence de carbone libre 219
A. Pialoux (Orsay, France)

Phase transitions in RhTi 243
S. S. Yi, B. H. Chen and H. F. Franzen (Ames, IA, U.S.A.)

Enhanced ordering of Pd_8Mo and induced solute segregation in proton-irradiated Pd–Mo alloys 251
J. Cheng, M. S. Mostafa and A. J. Ardell (Los Angeles, CA, U.S.A.)

Enthalpies of formation of rare earth and uranium tin compounds 265
C. Colinet, A. Bessoud, A. Pasturel (Saint Martin d'Hères, France) and W. Müller (Karlsruhe, F.R.G.)

Phase diagram of the Al–In–Sb system 279
K. Ishida, T. Shumiya, H. Ohtani, T. Nishizawa (Sendai, Japan) and M. Hasebe (Kitakyŭshŭ, Japan)

Superconductivity and hydrogen profiles in electrolytically charged Pd–Cu alloys 291
W. J. Standish (Saratoga Springs, NY, U.S.A.), A. Leiberich, W. Scholz (Albany, NY, U.S.A.) and C. G. Homan (Watervliet, NY, U.S.A.)

In situ neutron powder diffraction measurements of the absorption and desorption of hydrogen (deuterium) in $(La,Ce)Ni_2$ compounds: amorphization and recrystallization 301
V. Paul-Boncour, C. Lartigue, A. Percheron-Guégan, J. C. Achard (Meudon, France) and J. Pannetier (Grenoble, France)

Time-of-flight neutron powder diffraction study of the $LaNi_5D_3$ structure 315
H. Hayakawa, K. Nomura, Y. Ishido, E. Akiba, S. Shin, H. Asano, F. Izumi and N. Watanabe (Ibaraki, Japan)

Nickel boride in sintered boron nitride–nickel. 325
T. Pieczonka and J. Frydrych (Cracow, Poland)

Phase transition in the $Mn_{1\pm x}Au_{1\pm x}$ homogeneity range. 331
B. H. Chen and H. F. Franzen (Ames, IA, U.S.A.)

A powder X-ray diffraction and Landau theory investigation of the cubic to tetragonal phase transition in NbN_{1-x} 339
S.-J. Kim and H. F. Franzen (Ames, IA, U.S.A.)

Fluorescence et dynamique dans $LiNaY_2F_8:Eu^{3+}$ 345
D. Zambon, J. Metin, J. C. Cousseins et M. I. Fournier (Aubière, France)

Structure of potassium tetraperoxotungstate(VI), $K_2[W(O_2)_4]$ 363
R. Stomberg (Göteborg, Sweden)

Thermodynamic stabilities of Ag–Mn alloys 373
K. A. Gingerich, J. E. Kingcade, Jr, M. J. Stickney and M. S. Chandrasekharaiah (College Station, TX, U.S.A.)

LETTERS

Thermodynamic behaviour of the Sn–Te, Pb–Te, Sn–Se and Pb–Se melts according to the associated model L1
K. P. Kotchi, M. Gilbert and R. Castanet (Marseille, France)

Magnetic susceptibility and structural investigation of $REAl_6Fe_6$ compounds for RE = Y, Gd, Tb, Dy, Ho and Er L7
G. Chełkowska, A. Chełkowska and A. Winiarska (Katowice, Poland)

Solid solutions in the systems $YBa_2(Cu_{1-x}Co_x)_3O_{7-z}$ and $La_{1.8}Sr_{0.2}Cu_{1-x}Co_xO_{4z}$ L11
R. Kiemel, W. Schafer, S. Kemmler-Sack (Tübingen, F.R.G.), G. Kruschel and B. Elschner (Darmstadt, F.R.G.)

Structure and superconducting properties of Nb_3Ge prepared by chemical vapour deposition L17
K. Shirouzu, A. Kato (Fukuoka, Japan) and T. Watari (Saga, Japan)